

PROGRESS[®] ARTIX[™]

Installation Guide

C++ edition, Version 5.6.2, November 2012

© 2012 Progress Software Corporation and/or its subsidiaries or affiliates. All rights reserved.

These materials and all Progress® software products are copyrighted and all rights are reserved by Progress Software Corporation. The information in these materials is subject to change without notice, and Progress Software Corporation assumes no responsibility for any errors that may appear therein. The references in these materials to specific platforms supported are subject to change.

Actional, Apama, Artix, Business Empowerment, Business Making Progress, Corticon, Corticon (and design), DataDirect (and design), DataDirect Connect, DataDirect Connect64, DataDirect Technologies, DataDirect XML Converters, DataDirect XQuery, DataXtend, Dynamic Routing Architecture, Empowerment Center, Fathom, IONA, Making Software Work Together, Mindreef, ObjectStore, OpenEdge, Orbix, PeerDirect, Powered by Progress, PowerTier, Progress, Progress DataXtend, Progress Dynamics, Progress Business Empowerment, Progress Empowerment Center, Progress Empowerment Program, Progress OpenEdge, Progress Profiles, Progress Results, Progress Software Business Making Progress, Progress Software Developers Network, Progress Sonic, ProVision, PS Select, RulesCloud, RulesWorld, Savvion, SequeLink, SOAPscope, SOAPStation, Sonic, Sonic ESB, SonicMQ, Sonic Orchestration Server, Speed-Script, Stylus Studio, Technical Empowerment, WebSpeed, Xcalia (and design), and Your Software, Our Technology-Experience the Connection are registered trademarks of Progress Software Corporation or one of its affiliates or subsidiaries in the U.S. and/or other countries. AccelEvent, Apama Dashboard Studio, Apama Event Manager, Apama Event Modeler, Apama Event Store, Apama Risk Firewall, AppsAlive, AppServer, ASPen, ASP-in-a-Box, BusinessEdge, Cache-Forward, CloudEdge, DataDirect Spy, DataDirect SupportLink, Future Proof, GVAC, High Performance Integration, ObjectStore Inspector, ObjectStore Performance Expert, OpenAccess, Orbacus, Pantero, POSSE, ProDataSet, Progress Arcade, Progress Cloud-Edge, Progress Cloudware, Progress Control Tower, Progress ESP Event Manager, Progress ESP Event Modeler, Progress Event Engine, Progress RFID, Progress RPM, Progress Responsive Cloud, Progress Responsive Process Management, Progress Software, PSE Pro, SectorAlliance, SeeThinkAct, Smart-Browser, SmartComponent, SmartDataBrowser, SmartDataObjects, SmartDataView, SmartDialog, SmartFolder, SmartFrame, SmartObjects, SmartPanel, SmartQuery, SmartViewer, SmartWindow, Sonic Business Integration Suite, Sonic Process Manager, Sonic Collaboration Server, Sonic Continuous Availability Architecture, Sonic Database Service, Sonic Workbench, Sonic XML Server, The Brains Behind BAM, WebClient, and Who Makes Progress are trademarks or service marks of Progress Software Corporation and/or its subsidiaries or affiliates in the U.S. and other countries. Java is a registered trademark of Oracle and/or its affiliates. Any other marks contained herein may be trademarks of their respective owners.

Third Party Acknowledgments:

One or more products in the Progress Artix ESB for C++ v5.6.2 release includes third party components covered by licenses that require that the following documentation notices be provided:

Progress Artix ESB for C++ v5.6.2 incorporates Xalan v2.3.1 technologies from the Apache Software Foundation (<http://www.apache.org>). Such Apache technologies are subject to the following terms and conditions: The Apache Software License, Version 1.1. Copyright (C) 1999-2002 The Apache Software Foundation. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Alternatively, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear. 4. The names "Ant", "Xerces," "Xalan," "Log 4J," and "Apache Software Foundation" must not be used to: endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org. 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation. THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org/>. Xalan was originally based on software copyright (c) 1999, Lotus Development Corporation., <http://www.lotus.com>. Xerces was originally based on software copyright (c) 1999, International Business Machines, Inc., <http://www.ibm.com>.

Progress Artix ESB for C++ v5.6.2 incorporates Apache Xerces v2.5.0 technology from the Apache Software Foundation (<http://www.apache.org>). Such Apache technology is subject to the following terms and conditions: The Apache Software License, Version 1.1 - Copyright (c) 1999-2002 The Apache Software Foundation. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)." Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc., <http://www.ibm.com>. For more information on the Apache Software Foundation, please see <http://www.apache.org/>.

Progress Artix ESB for C++ v5.6.2 incorporates Apache Velocity v1.3 technology from the Apache Software Foundation (<http://www.apache.org>). Such Apache technology is subject to the following terms and conditions: The Apache Software License, Version 1.1 - Copyright (c) 2000-2003 The Apache Software Foundation. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)." Alternately, this acknowledgement may appear in the software itself, if and wherever such third-party acknowledgements normally appear.

4. The names "The Jakarta Project", "Velocity", and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

5. Products derived from this software may not be called "Apache", "Velocity" nor may "Apache" appear in their names without prior written permission of the Apache Group.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Progress Artix ESB for C++ v5.6.2 incorporates Log4J v1.2.6 technology from the Apache Software Foundation (<http://www.apache.org>). Such Apache technology is subject to the following terms and conditions: The Apache Software License, Version 1.1 - Copyright (C) 1999 The Apache Software Foundation. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)." Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "log4j" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER

CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <<http://www.apache.org/>>.

Progress Artix ESB for C++ v5.6.2 incorporates JDOM Beta v9 technology from JDOM. Such technology is subject to the following terms and conditions: Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the disclaimer that follows these conditions in the documentation and/or other materials provided with the distribution. 3. The name "JDOM" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact <request_AT_jdom_DOT_org>. 4. Products derived from this software may not be called "JDOM", nor may "JDOM" appear in their name, without prior written permission from the JDOM Project Management <request_AT_jdom_DOT_org>. In addition, we request (but do not require) that you include in the end-user documentation provided with the redistribution and/or in the software itself an acknowledgement equivalent to the following: "This product includes software developed by the JDOM Project (<http://www.jdom.org/>)." Alternatively, the acknowledgment may be graphical using the logos available at <http://www.jdom.org/images/logos>. THIS SOFTWARE IS PROVIDED AS IS AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. This software consists of voluntary contributions made by many individuals on behalf of the JDOM Project and was originally created by Jason Hunter <jhunter_AT_jdom_DOT_org> and Brett McLaughlin <brett_AT_jdom_DOT_org>. For more information on the JDOM Project, please see <<http://www.jdom.org/>>

Progress Artix ESB for C++ v5.6.2 incorporates IBM-ICU v4.8.1.1 technologies from IBM. Such technologies are subject to the following terms and conditions: ICU License - ICU 1.8.1 and later
COPYRIGHT AND PERMISSION NOTICE Copyright (c) 1995-2011 International Business Machines Corporation and others All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

Progress Artix ESB for C++ v5.6.2 incorporates John Wilson MinML v1.7 technology from John Wilson. Such technology is subject to the following terms and conditions: Copyright (c) 1999, John Wilson (tug@wilson.co.uk). All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. All advertising materials mentioning features or use of this software must display the following acknowledgement: This product includes software developed by John Wilson. The name of John Wilson may not be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY JOHN WILSON "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JOHN WILSON BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Progress Artix ESB for C++ v5.6.2 incorporates SourceForge - NET-SNMP v5.0.7 technology from SourceForge and Networks Associates Technology, Inc. Such technology is subject to the following terms and conditions: Various copyrights apply to this package, listed in various separate parts below. Please make sure that you read all the parts. Up until 2001, the project was based at UC Davis, and the first part covers all code written during this time. From 2001 onwards, the project has been based at SourceForge, and Networks Associates Technology, Inc hold the copyright on behalf of the wider Net-SNMP community, covering all derivative work done since then. An additional copyright section has been added as Part 3 below also under a BSD license for the work contributed by Cambridge Broadband Ltd. to the project since 2001. An additional copyright section has been added as Part 4 below also under a BSD license for the work contributed by Sun Microsystems, Inc. to the project since 2003. Code has been contributed to this project by many people over the years it has been in development, and a full list of contributors can be found in the README file under the THANKS section. ---- Part 1: CMU/UCD copyright notice: (BSD like) ----- Copyright 1989, 1991, 1992 by Carnegie Mellon University. Derivative Work - 1996, 1998-2000. Copyright 1996, 1998-2000 The Regents of the University of California. All Rights Reserved. Permission to use, copy, modify and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appears in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of CMU and The Regents of the University of California not be used in advertising or publicity pertaining to distribution of the software without specific written permission. CMU AND THE REGENTS OF THE UNIVERSITY OF CALIFORNIA DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL CMU OR THE REGENTS OF THE UNIVERSITY OF CALIFORNIA BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM THE LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. ---- Part 2: Networks Associates Technology, Inc copyright notice (BSD) ----- Copyright (c) 2001-2003, Networks Associates Technology, Inc. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: *Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.* Neither the name of the Networks Associates Technology, Inc nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. ---- Part 3: Cambridge Broadband Ltd. copyright notice (BSD) ----- Portions of this code are copyright (c) 2001-2003, Cambridge Broadband Ltd. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: *Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.* The name of Cambridge Broadband Ltd. may not be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. ---- Part 4: Sun Microsystems, Inc. copyright notice (BSD) ----- Copyright © 2003 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved. Use is subject to license terms below. This distribution may include materials developed by third parties. Sun, Sun Microsystems, the Sun logo and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.* Neither the name of the Sun Microsystems, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTH-

ERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. ---- Part 5: Sparta, Inc copyright notice (BSD) -----Copyright (c) 2003-2005, Sparta, Inc. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.* Neither the name of Sparta, Inc nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. ---- Part 6: Cisco/BUPTNIC copyright notice (BSD) ----- Copyright (c) 2004, Cisco, Inc and Information Network Center of Beijing University of Posts and Telecommunications. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * Neither the name of Cisco, Inc, Beijing University of Posts and Telecommunications, nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. ---- Part 7: Fabasoft R&D Software GmbH & Co KG copyright notice (BSD) ----- Copyright (c) Fabasoft R&D Software GmbH & Co KG, 2003 oss@fabasoft.com Author: Bernhard Penz. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * The name of Fabasoft R&D Software GmbH & Co KG or any of its subsidiaries, brand or product names may not be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Progress Artix ESB for C++ v5.6.2 incorporates OpenSSL/SSLey v1.0.1c technology from OpenSSL.org. Such Technology is subject to the following terms and conditions: LICENSE ISSUES

=====

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLey license apply to the toolkit.

See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

OpenSSL License

=====

Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment:

"This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.

5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.

6. Redistributions of any form whatsoever must retain the following acknowledgment:

"This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This product includes cryptographic software written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

Original SSLeay License

Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com) All rights reserved.

This package is an SSL implementation written by Eric Young (eay@cryptsoft.com).

The implementation was written so as to conform with Netscapes SSL.

This library is free for commercial and non-commercial use as long as the following conditions are aheared to. The following conditions apply to all code found in this distribution, be it the RC4, RSA,lhash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson (tjh@cryptsoft.com).

Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed.

If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used.

This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:

"This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)"

The word 'cryptographic' can be left out if the routines from the library being used are not cryptographic related :-).

4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement:

"This product includes software written by Tim Hudson (tjh@cryptsoft.com)"

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.]

Progress Artix ESB for C++ v5.6.2 incorporates Bouncycastle v1.3.3 cryptographic technology from the Legion Of The Bouncy Castle (<http://www.bouncycastle.org>). Such Bouncycastle 1.3.3 cryptographic technology is subject to the following terms and conditions: Copyright (c) 2000 - 2006 The Legion Of The Bouncy Castle (<http://www.bouncycastle.org>). Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Progress Artix ESB for C++ v5.6.2 incorporates PCRE v7.8 from PCRE for the purpose of providing a set of functions that implement regular expression pattern matching using the same syntax and semantics as Perl 5. Such technology is subject to the following terms and conditions: PCRE LICENCE. PCRE is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language. Release 7 of PCRE is distributed under the terms of the "BSD" licence, as specified below. The documentation for PCRE, supplied in the "doc" directory, is distributed under the

same terms as the software itself. The basic library functions are written in C and are freestanding. Also included in the distribution is a set of C++ wrapper functions. THE BASIC LIBRARY FUNCTIONS. Written by: Philip Hazel. Email local part: ph10. Email domain: cam.ac.uk. University of Cambridge Computing Service, Cambridge, England. Copyright (c) 1997-2008 University of Cambridge All rights reserved. THE C++ WRAPPER FUNCTIONS. Contributed by: Google Inc. Copyright (c) 2007-2008, Google Inc. All rights reserved. THE "BSD" LICENCE. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * Neither the name of the University of Cambridge nor the name of Google Inc. nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Progress Artix ESB for C++ v5.6.2 incorporates mcpp v2.6.4 from Kiyoshi Matsui. Such technology is subject to the following terms and conditions: Copyright (c) 1998, 2002-2007 Kiyoshi Matsui kmat-sui@t3.rim.or.jp All rights reserved. This software including the files in this directory is provided under the following license. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTH-

ERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Progress Artix ESB for C++ v5.6.2 incorporates HSQLDB v1.6.1 from HSQL Development Group. Such technology is subject to the following terms and conditions: HyperSQL HSQLDB - 100% Java Database COPYRIGHTS AND LICENSES (based on BSD License)

For work developed by the HSQL Development Group:

Copyright (c) 2001-2010, The HSQL Development Group

All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. Neither the name of the HSQL Development Group nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL HSQL DEVELOPMENT GROUP, HSQLDB.ORG, OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

For work originally developed by the Hypersonic SQL Group:

Copyright (c) 1995-2000 by the Hypersonic SQL Group. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. Neither the name of the Hypersonic SQL Group nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE HYPERSONIC SQL GROUP, OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. This software consists of voluntary contributions made by many individuals on behalf of the Hypersonic SQL Group.

Progress Artix ESB for C++ v5.6.2 incorporates Java Secure Socket Extension (JSSE) v1.0.2 from Sun Microsystems, Inc. "This product includes code licensed from RSA Data Security".

Updated: October 18, 2012

Contents

List of Tables	19
Preface	21
What This Book Covers	21
Who Should Read This Book	21
How to Use This Book	21
Artix Documentation Library	21
Chapter 1 Prerequisites	23
Pre-Installation Tasks	24
Pre-Installation Considerations	25
Supported Platforms, C++ Compilers, JREs, and JDKs	26
C++ Compiler Requirements	27
Java JRE and JDK Requirements	28
Interoperability	30
Virtualization Support Requirements	31
RAM Requirements	32
Disk Space Requirements	33
Chapter 2 Installing Artix	35
Running the Artix Installer	36
Installing in GUI Mode	39
Installing in Console Mode	41
Installing in Silent Mode	43
Chapter 3 Configuring Artix	49
Setting the JAVA_HOME Environment Variable	50
Configuring the Artix Command-Line Environment	52
Configuring the Artix C++ Development Environment	53
Configuring the Artix Visual C++ Environment	54
More Memory for Java Components on AIX	55

CONTENTS

Chapter 4 Uninstalling Artix	57
Uninstalling on Windows	58
Uninstalling on UNIX	59
Index	61

List of Tables

Table 1: Disk Space Used by Artix Installations (Megabytes)	33
Table 2: Disk Space Used by the Artix Installer (Megabytes)	33
Table 3: Artix Installation Packages	36
Table 4: Artix Installation Options	39
Table 5: Properties File Variables	43
Table 6: CHOSEN_INSTALL_FEATURE_LIST Feature Codes	45

LIST OF TABLES

Preface

What This Book Covers

This book discusses the prerequisites for installing Artix and the procedures for installing, configuring, updating, and uninstalling Artix.

Who Should Read This Book

This book is written for those responsible for installing Artix and assumes familiarity with:

- The hardware and software Artix interacts with.
- The user interfaces, graphical and character, used by Artix and by the hardware and software Artix interacts with.

How to Use This Book

This book contains the following chapters:

- [Chapter 1, Prerequisites](#), discusses the things you should do and think about before installing Artix.
- [Chapter 2, Installing Artix](#), describes various ways of installing Artix.
- [Chapter 3, Configuring Artix](#), discusses the things you might have to do or think about after installing Artix.
- [Chapter 4, Uninstalling Artix](#), describes how to uninstall Artix.

Artix Documentation Library

For information on the entire Artix Documentation Library, including organization, contents, conventions, and reading paths, see *Using the Artix Library* available at the Artix 5.6.2 [Product Documentation Web page](#) .

PREFACE

Prerequisites

This chapter discusses what you should do and think about before installing Artix.

In this chapter

This chapter contains the following sections:

Pre-Installation Tasks	page 24
Pre-Installation Considerations	page 25

Pre-Installation Tasks

Overview

This section discusses what you should do before installing Artix.

Read the release notes

Before installing Artix:

- Visit the Artix 5.6.2 [Product Documentation Web page](#).
- Read the [Artix Release Notes](#) for late-breaking information on new features, known problems, and other release-specific information.

There may also be updates to this *Installation Guide* available at the Artix 5.6.2 [Product Documentation Web page](#).

Pre-Installation Considerations

Overview

This section discusses what you should think about before installing Artix.

In this section

This section discusses the following topics:

Supported Platforms, C++ Compilers, JREs, and JDKs	page 26
C++ Compiler Requirements	page 27
C++ Compiler Requirements	page 27
Java JRE and JDK Requirements	page 28
Interoperability	page 30
Virtualization Support Requirements	page 31
RAM Requirements	page 32
Disk Space Requirements	page 33

Supported Platforms, C++ Compilers, JREs, and JDKs

Platforms and compilers

For the latest information on supported platforms and compilers, see the [Artix Platform Support](#) Web page.

C++ Compiler Requirements

C++ development requirements

If you plan to develop Artix applications in C++, or if you want to compile and run any of the Artix C++ samples, you must have a C++ compiler installed on the target machine. See the [Artix Platform Support](#) Web page for details on operating system / architecture / bit path / JVM combinations for the C++ compilers supported by Artix.

First run of `artix_env` script

Certain Artix-specific makefile settings are generated and set up the first time you run the `artix_env[.bat]` script, as described in “[Configuring the Artix C++ Development Environment](#)” on page 53.

Java JRE and JDK Requirements

JRE bundled with Artix installer (and alternatives)

A 1.6.x Java Runtime Environment (JRE) is bundled with Artix for optional installation. Alternatively, the installer also allows you to specify the location of a previously installed system JRE or JDK.

If you do not install the bundled JRE, you must specify the location of an existing JRE or JDK during Artix installation. Make sure the one you specify is at the required release level for your operating system.

If you specify the location of an existing JRE or JDK, you might also need to specify its location in the `JAVA_HOME` environment variable. See [“Setting the JAVA_HOME Environment Variable”](#) on page 50.

Specific Java suppliers supported

Artix supports the specific JRE and JDK versions listed on the [Artix Platform Support](#) Web page, where the Java supplier and corresponding operating systems are as follows:

Java supplier	Operating system
Oracle	Windows, Linux, Solaris
IBM	AIX
HP	HP-UX

Override default JRE for Red Hat systems

Red Hat Enterprise Linux ships with a GCC-based Java compiler, `gjc`, which is set up by default to provide the system default `java` and `javac` commands. Artix command-line tools do not support the `gjc` compiler, so you must install an Oracle, and take steps to ensure that its `java` and `javac` commands are used by Artix.

The simplest override method is to install a supported Oracle JDK in its installer's default location, and then specify the location of the Oracle JDK during Artix installation.

You can also manage your Oracle JDK installation with one or more of the following methods:

- Specify the Oracle JDK location in a global `JAVA_HOME` environment variable, as described in [“Setting the JAVA_HOME Environment Variable” on page 50](#).
- Replace the default Java-related symbolic links in `/etc/alternatives`.
- Integrate the Oracle JDK into Red Hat's alternatives system, as described in the `alternatives(1)` man page.

Interoperability

Overview

This section describes how Artix C++ components interoperate with other Artix components and with third-party products.

Artix JAX-WS runtime

The Artix C++ runtime interoperates with the Artix JAX-WS runtime.

Messaging

Artix C++ supports the following messaging products:

- IBM WebSphere MQ 6.0, and 7.0
 - BEA Tuxedo
 - ◆ 6.5 on Windows and HP-UX
 - ◆ 8.1 on all supported platforms except AIX
 - TIBCO Rendezvous 7.2
 - SonicMQ 5.x, 6.x
-

Transports

Artix C++ supports the following transports:

- SOAP 1.1 and 1.2
 - IIOP 1.1 and 1.2
 - HTTP
-

Security

Artix C++ supports the following security products and protocols:

- SiteMinder 4.6.1, 5.6
- Kerberos 5
- LDAP 3.0

Virtualization Support Requirements

Overview

Virtualization is the process of sharing the resources of a single computer across multiple environments, and thereby enabling one computer to do the job of many. Artix 5.6.2 provides virtualization support on selected platforms.

Supported platforms for virtualization

Artix 5.6.2 includes support for virtualization on the following supported platforms:

- Windows
- Red Hat Enterprise Linux
- Solaris x86-64

Note: Each of the above platforms is supported on VMware ESX/ESXi 3.5.0.

RAM Requirements

RAM requirements for development tools

Artix is a development environment that is used in conjunction with other development tools, such as compilers. As such, the Artix tools do not consume more RAM than the associated toolset.

Check with the vendor of the compiler and JDK for your operating system for their minimum RAM requirements. A typical minimum RAM requirement for compilers and JDKs is 512 MB.

RAM used by Artix container and servers

The Artix container `it_container[.exe]`, is lightweight, and consumes about 21 KB (Windows) or 43 KB (Linux) on first start. Each hosted server adds another few KB (Windows) or 20+ KB (Linux). A complex Artix bus with many containers and services might consume several hundred KB of RAM. Memory consumption for Solaris, AIX, and HP-UX is comparable to the Linux numbers.

Disk Space Requirements

Overview

This section lists the amount of permanent and temporary disk space required for different installations of Artix 5.6.2.

Artix installation disk space

The disk space requirements for Artix depend on the installation options selected. [Table 1](#) shows the approximate disk space in megabytes for full and runtime-only installations. These numbers include the bundled JRE optionally installed with Artix.

Table 1: *Disk Space Used by Artix Installations (Megabytes)*

Installation Type	Windows VC9	Windows VC10	Solaris SPARC	Solaris x86	HP-UX PA-RISC	HP-UX IA64	AIX	Linux 32-bit	Linux 64-bit
Full installation	297	298	595	350	1077	1179	500	348	355
JRE	95.5	96	116	102	334	437	119	104	88

Artix installer disk space

The disk space used by the Artix installer package is shown in [Table 2](#). This table also shows the disk space used by the Java runtime environment installed with Artix. The JRE numbers are included in the totals in [Table 1](#).

Table 2: *Disk Space Used by the Artix Installer (Megabytes)*

Installation Type	Windows VC9	Windows VC10	Solaris SPARC	Solaris x86	HP-UX PA-RISC	HP-UX IA64	AIX	Linux 32-bit	Linux 64-bit
Installer	132	136	225	160	377	321	199	151	139

Temporary disk space

In addition to the requirements in [Table 1](#) and [Table 2](#), you will need 300 to 500 megabytes of temporary work space for the installer. By default, this work space is the Windows `TEMP` directory or the UNIX `/tmp` directory.

On UNIX, if the required temporary space is not available on `/tmp`, you can specify a directory on a filesystem with sufficient available space for the Artix installer by setting the `IATEMPDIR` environment variable. For example:

```
IATEMPDIR=/local2/tmp  
export IATEMPDIR
```

Installing Artix

This chapter describes various ways of installing Artix.

In this chapter

This chapter contains the following sections:

Running the Artix Installer	page 36
Installing in GUI Mode	page 39
Installing in Console Mode	page 41
Installing in Silent Mode	page 43

Running the Artix Installer

Downloading an installation package

The Artix 5.6.2 installation package is available for download from Progress ESD Download Center <http://www.progress.com/esd>.

The following installation packages are available:

Table 3: *Artix Installation Packages*

Description	FileName
Progress Artix ESB 5.6.2 for C++ for Windows VS2008	PROGRESS_ARTIX_CXX_5.6.2_WIN_VC9.exe
Progress Artix ESB 5.6.2 for C++ for AIX	PROGRESS_ARTIX_CXX_5.6.2_AIX.bin.gz
Progress Artix ESB 5.6.2 for C++ for HP-UX PA-RISC	PROGRESS_ARTIX_CXX_5.6.2_HPUX.bin.gz
Progress Artix ESB 5.6.2 for C++ for HP-UX Itanium	PROGRESS_ARTIX_CXX_5.6.2_HPUX_64_IA.bin.gz
Progress Artix ESB 5.6.2 for C++ for Linux (64-bit)	PROGRESS_ARTIX_CXX_5.6.2_LNX_32.bin.gz
Progress Artix ESB 5.6.2 for C++ for Linux (32-bit)	PROGRESS_ARTIX_CXX_5.6.2_LNX_64.bin.gz

Table 3: *Artix Installation Packages*

Description	FileName
Progress Artix ESB 5.6.2 for C++ for Solaris SPARC	PROGRESS_ARTIX_CXX_5.6_SOL.bin.gz
Progress Artix ESB 5.6.2 for C++ for Solaris x86	PROGRESS_ARTIX_CXX_5.6.2_SOL_X86.bin.gz
Progress Artix ESB 5.6.2 for C++ for Windows VS2010	PROGRESS_ARTIX_CXX_5.6.2_WIN_VC10.exe
Getting Started with Progress Artix ESB 5.6 for C++	getting_started.pdf
Installation Guide - Progress Artix ESB 5.6.2 for C++	install_guide.pdf
Release Notes - Progress Artix ESB 5.6.2 for C++	release_notes.pdf

Installer restrictions

The Artix 5.6.2 installer has the following restrictions:

- You must not install Artix 5.6.2 and any other IONA product in the same directory.

Note: Although you could install particular pre-5.6 versions of Artix and particular versions of other IONA products in the same directory, this is *not* true of Artix 5.6.2.

- You must not load Artix libraries and Orbix libraries into the same process space, unless such usage is explicitly supported and documented.
-

Installation modes

You can run the Artix installer in three modes, as described in the following sections:

- [“Installing in GUI Mode” on page 39.](#)
- [“Installing in Console Mode” on page 41.](#)
- [“Installing in Silent Mode” on page 43.](#)

Installing in GUI Mode

Overview

You can run the Artix installer in graphical user interface mode on all supported platforms.

Running the installer

To install Artix in GUI mode:

1. Navigate to the directory into which you extracted the installation package and run the installer:

Windows

```
PROGRESS_ARTIX_CXX_5.6.2_<platform>.exe
```

UNIX

Please ensure that the DISPLAY environment variable is correctly set

```
./PROGRESS_ARTIX_CXX_5.6.2_<platform>.bin
```

2. Follow the on-screen instructions and respond to each prompt.

Use the information in [Table 4](#) as a guide when selecting installation options as the installation proceeds.

Table 4: *Artix Installation Options*

Platform	Installation Option	Default	Notes
All	The Choose Install Folder panel lets you select the top-level directory for your Artix installation.	Windows: C:\Program Files\Progress\artix_cxx_5.6.2 UNIX: /opt/progress/artix_cxx_5.6.2	On Windows, do <i>not</i> specify a directory whose pathname contains spaces, For example, do not specify a directory under C:\Program Files. On UNIX, specify the absolute path to a directory in which your current login name has full read and write permissions. Do not use the ~ abbreviation for home directory.

Table 4: *Artix Installation Options (Continued)*

Platform	Installation Option	Default	Notes
All	The Choose Install Set panel lets you select the components you wish to install.	Full	Specify the runtime-only option when deploying an Artix service for testing or production on a system other than your development system. See Table 6 on page 45 for help in deciding which options to install.
All	The Choose Java Virtual Machine panel lets you install or select a JVM.	Install a bundled JRE.	Java JRE and JDK issues are discussed in “C++ Compiler Requirements” on page 27 . The installer might not identify all JVMs on your system. If you know the exact location of your JRE or JDK, it is faster to navigate to that location than to let the installer search the entire disk.
Windows only	The Choose Shortcut Location panel lets you specify a location for product icons.	The Start (All) Programs Progress Artix menu for all users	You can select only one location. Some of the location options also allow you to select the Set for all system users checkbox. The default is to set up the shortcuts for the current user only.
All	The Save Installation Properties panel lets you save a properties file containing your installation options.	No	Allows you to save a properties file containing entries for the installation you just completed. This properties file can be used with future automated or silent installations of Artix as described in “Installing in Silent Mode” on page 43 .

3. Click **Done** to finish the installer.

Note: A full Artix license file, `licenses.txt`, is automatically installed by default in the `ArtixInstallDir/etc` folder of your product installation. A 30-day evaluation installation will also automatically install a license file.

Installing in Console Mode

Overview

UNIX users can run the Artix installer in console mode if no graphical-interface windowing environment is available.

Running the installer

To run the Artix installer in console mode:

1. Go to the directory into which you extracted the installation package and run the installer as follows:

```
./PROGRESS_ARTIX_CXX_5.6.2_<platform>.bin -i console
```

2. Follow the on-screen instructions and respond to option prompts. Use the information in [Table 4 on page 39](#) as a guide when selecting installation options as the installation proceeds.

3. The installer prompts you to specify the options to install using a table like the one in [Example 1](#). By default, all options are specified, which is the same as a Full installation. To customize your installation, enter a list of numbers representing the group or feature you want to *exclude* from the installation. Use [Table 6 on page 45](#) as a guide when deciding which group or feature options to install.

Example 1: *Installation options menu in console installation mode*

```

1-  [X] C++
2-  |-[X] Runtime
3-  |-[X] Development libraries and samples
4-  |-[X] Artix Locator
5-  |-[X] Security Framework
6-  |-[X] Artix Router
7-  |-[X] Transaction Manager
8-  |-[X] High Availability
9-  |-[X] Session Manager
10- [X] Development Tools
11- |-[X] Command-line Tools
12- [X] Third-party Integrations
13- |-[X] EMS Integration
14- |-[X] Amberpoint
15- |-[X] CA-WSDM

```

WARNING: Console installation only works on UNIX systems. Using `-i console` when installing on Windows simply runs a silent installation with default options.

Installing in Silent Mode

Overview

Silent installations are installations that run without user intervention. Their advantage is that they allow you to automate the process of installing Artix on more than one machine.

In an interactive installation, the installer receives necessary user input in response to questions posed in a GUI or console. In a silent installation, you must provide the same information in a properties file.

Creating the properties file

First, create a properties file to contain the response values for the silent installation. You can use any name for your properties file and invoke it with the `-f` option when running the installer. Alternatively, you can use the reserved file name `installer.properties`, which is automatically used by the installer.

The easiest way to create a properties file is to go through the steps of an Artix installation, then save the properties of that installation to a file when so prompted at the end of the installation. You can then edit the saved properties file to adjust the way you want your silent installation to proceed.

You can also create a properties file with any text editor.

Contents of properties file

The properties file must contain entries for the variables listed in [Table 5](#):

Table 5: *Properties File Variables*

Variable	Description
JDK_HOME	The path to the root of a JDK or JRE installation. If this variable is set, the installation uses the JDK or JRE specified. If unset, the installation installs a dedicated JRE.
SILENT_ACCEPT_LICENSE_AGREEMENT	Set to <code>true</code> to accept the Artix license agreement
USER_INSTALL_DIR	Absolute path to the directory where Artix will be installed on the user's machine
INSTALLER_UI	Set to <code>silent</code> for a silent installation
USER_INPUT_SAVE_PROPERTIES_YES_NO	Set to <code>No</code> for a silent installation

Table 5: *Properties File Variables (Continued)*

Variable	Description
CHOSEN_INSTALL_FEATURE_LIST	This entry must be one long string containing a comma-separated list of feature codes, with no spaces between entries. The valid feature codes for this variable, shown in Table 6 , specify the Artix components you want to install. To specify a Full installation, you must list all group components in Table 6 .

The valid values for the `CHOSEN_INSTALL_FEATURE_LIST` variable are shown in [Table 6](#).

Note: The codes in [Table 6](#) are either group codes or individual feature codes. If you specify a group code, you specify all features in that group.

Table 6: *CHOSEN_INSTALL_FEATURE_LIST Feature Codes*

Feature Code	Group	Feature	Description
CXXCore	C++		Specify options in the C++ category to develop C++ services.
CXXRT		Runtime	The infrastructure based on the C++ runtime that allows services and service consumers to interact in a distributed environment. This includes a bus, which handles the delivery of messages between different middleware systems; support for Artix containers; and support for the transports and payload formats supported by this version of Artix.
CXXDev		Development libraries and samples	The standard foundation classes, XML Schema-based type system, WSDL API, and sample code that allow you to build Web service applications or to service-enable existing applications, based on the C++ runtime.
CXXLocator		Artix Locator	An Artix service that allows clients to locate registered services independent of their deployed location.
CXXSecurity		Security Framework	The IONA Security Framework, which includes support for the WS-Security SOAP header format; support for single sign-on and mutual authentication; the IONA Security Service, which provides role-based access control and authentication; and plug-ins to support File Adapter, Netegrity, and LDAP.

Table 6: *CHOSEN_INSTALL_FEATURE_LIST Feature Codes (Continued)*

Feature Code	Group	Feature	Description
CXXRouter		Artix Router	An Artix intermediary service that redirects messages based on rules defined in the router's contract. An Artix router can be used as a bridge between different communication protocols.
CXXTX		Transaction Manager	An Artix plug-in that supports interoperability with a CORBA OTS transaction system.
CXXHA		High Availability	Support for service replication, which allows services to remain operational despite hardware or communication failures.
CXXSM		Session Manager	A group of Artix plug-ins that work together to control the number of clients that can access a group of services concurrently. The session manager can be used to ensure a given instance is used by only one client at a time, which is useful for service-enabling single-threaded applications.
Develop	Development Tools		Tools and utilities for developers of Artix applications.
Command		Command-line Tools	Tools used at the shell prompt to generate code from WSDL contracts, and to generate WSDL from code.
Third-p	Third-party Integrations		Support for integrating Artix with Enterprise Management Systems from several vendors. (Support for SNMP traps is already included in the base installation.)
EMS		EMS Integration	Support for the following separately licensed components: Operational logging; integration with IBM Tivoli and BMC Patrol.
Amber		AmberPoint Integration	Support for integrating Artix with the AmberPoint SOA Management System.
CAWSDM		CA-WSDM Integration	Support for integrating Artix with the Computer Associates Web Services Distributed Management system (CA WSDM).

Example properties file

An example of a properties file is shown below:

```
SILENT_ACCEPT_LICENSE_AGREEMENT=true
SET_PATH=
INSTALLER_UI=silent
USER_INSTALL_DIR=C:\\IONA\\artix_5.6.2
USER_INPUT_SAVE_PROPERTIES_YES_NO=No
CHOSEN_INSTALL_FEATURE_LIST=CXXCore,CXXLocator,CXXSecurity,CXXHA
    ,CXXRouter,CXXTX,CXXSM,EMS,Amber,CAWSDM,Third-p,CXXRT,CXXDev,
    Develop,Command
JDK_HOME=
```

Note: When including directory paths in the properties file, you can represent path separators in the format `$/`. This is read by the Artix installer as the correct path separator independent of operating system convention. For example: `C:$/Progress`

If you instead use backslashes in a properties file targeted for Windows systems, you must escape the backslashes by doubling them, and escape the colon in drive letters with a backslash. For example, `C:\\\\Progress`.

Running the installer

To run the Artix installer in silent mode:

1. Save the properties file to the directory into which you extracted the installation package.
2. From the same directory, run the Artix installer with its `-i silent` and `-f` options:

Windows

```
PROGRESS_ARTIX_CXX_5.6.2_<platform>.exe -i silent -f  
your_properties_file
```

UNIX

```
./PROGRESS_ARTIX_CXX_5.6.2_<platform>.bin -i silent -f  
your_properties_file
```

As an alternative, if you used the reserved file name `installer.properties`, you do not need to use the `-f` option:

Windows

```
PROGRESS_ARTIX_CXX_5.6.2_<platform>.exe -i silent
```

UNIX

```
./PROGRESS_ARTIX_CXX_5.6.2_<platform>.bin -i silent
```

Note: A full Artix license file, `licenses.txt`, is automatically installed by default in the `ArtixInstallDir/etc` folder of your product installation. A 30-day evaluation installation will also automatically install a license file.

Uninstalling a silent installation

After performing a silent installation, the next uninstallation also runs silently.

Note: When running a silent uninstallation in Windows, the Add/Remove Control Panel's dialog box might appear to be hung. In fact, the silent uninstallation is proceeding silently. Control is returned to the dialog box when the uninstallation completes.

Configuring Artix

This chapter discusses the things you might have to do or think about after installing Artix.

In this chapter

This chapter contains the following sections:

Setting the JAVA_HOME Environment Variable	page 50
Configuring the Artix Command-Line Environment	page 52
Configuring the Artix C++ Development Environment	page 53
Configuring the Artix Visual C++ Environment	page 54
More Memory for Java Components on AIX	page 55

Setting the JAVA_HOME Environment Variable

Windows and JAVA_HOME

Set the JAVA_HOME environment variable before running the `artix_env.bat` script to set up your command-line development environment.

If you opted to have the bundled JRE installed by the Artix installer, the JAVA_HOME variable in the `artix_env.bat` file points to the bundled JRE, not to a JDK. You must set the global environment variable JAVA_HOME to point to your JDK installation.

To set the JAVA_HOME environment variable globally for your Windows system, use the **System** Control Panel, **Advanced** tab, **Environment Variables** button. It is not enough to set the variable at the Windows command prompt. Use the 8.3 version of space-containing directory names.

For example:

```
JAVA_HOME=C:\Progra~1\Java\jdk1.5.0_11
```

To determine the 8.3 version of a file or directory name, use the `dir /x` command at a Windows command prompt.

Note: The JRE and JDK installers from Oracle do not set the JAVA_HOME environment variable.

UNIX/Linux and JAVA_HOME

The Artix installer sets a value for the JAVA_HOME environment variable near the top of the `artix_env` environment-setting script. The path value set is either the path to the bundled JRE, or the path to the alternate JRE or JDK you specified to the installer. Any setting of JAVA_HOME in the shell's global environment takes precedence over the setting in the `artix_env` script.

Red Hat Linux systems ship with a non-Oracle Java JRE and JDK based on GCC `gcj`. To avoid using the Red Hat default `java` and `javac` commands, you must specify the path to an Oracle JRE or JDK during Artix installation, or you must override the path set by the installer by using the JAVA_HOME environment variable. See [“Override default JRE for Red Hat systems” on page 29](#) for further information.

Configuring the Artix Command-Line Environment

Setting the Artix development environment for the C++ runtime

Before running command-line development tools for the C++ runtime, and before running any Artix container, service, or service consumer, you must set up the command-line environment. To do so, use the following commands:

Windows

```
> cd ArtixInstallDir\bin
> artix_env
```

UNIX

```
% cd ArtixInstallDir/bin
% . ./artix_env
```

This script sets up several Artix-specific environment variables, appends the Artix `bin` directory to the system search path, and appends the Artix shared library directory to the shared library path.

Configuring the Artix C++ Development Environment

First run of `artix_env` script

Certain Artix-specific makefile settings are generated and set up the first time you run the `artix_env[.bat]` script.

Thus, you must run `artix_env[.bat]` at least once before Artix C++ development can proceed. This first run can be in a shell window that you close immediately afterward.

Configuring the Artix Visual C++ Environment

Windows C++ environment

You must set up Visual C++ environment variables and paths before running any Artix tools. There are two cases:

1. You allowed the Visual C++ installer to configure the global Windows environment.

In this case, you are ready for Artix development with Visual C++ with no further configuration:

→ For Artix command-line development, run `artix_env` at the command prompt.

2. You did not allow the Visual C++ installer to configure the global Windows environment (for example, if your PC has more than one C++ development environment).

In this case, you must set the paths and environment variables for Visual C++ from a batch file, `vcvars32.bat`, supplied by the Visual C++ installer:

→ For Artix command-line development, run `vcvars32.bat` at the command prompt, and then run `artix_env.bat`.

More Memory for Java Components on AIX

On AIX, Java components within the Artix C++ runtime might need additional heap space to function correctly. To increase the default heap space available to these components, set the following environment variable:

```
LDR_CNTRL=MAXDATA=0x80000000@USERREGS
```

For more information on this issue, visit the following Web site:

<http://www.ibm.com/developerworks/eserver/articles/aix4java1.html>

Uninstalling Artix

This chapter describes how to uninstall Artix.

In this chapter

This chapter contains the following sections:

Uninstalling on Windows	page 58
Uninstalling on UNIX	page 59

Uninstalling on Windows

Uninstalling Artix

To uninstall Artix from Windows:

1. From the Windows **Start** menu, select **(All) Programs | Progress Artix | Artix ESB 5.6.2 for C++ | Uninstall Progress Artix ESB 5.6.2 for C++**.
2. In the resulting dialog, click **Uninstall**.

As an alternative, you can run the following from a command prompt:

```
ArtixInstallDir\uninstall\Uninstall_artix_version.exe
```

Note: Remember that after a silent installation, the next uninstallation is also run silently.

Uninstalling on UNIX

Uninstalling Artix

To uninstall Artix on UNIX, run the following script:

```
ArtixInstallDir/uninstall/Uninstall_artix_version
```

Note: Remember that after a silent installation, the next uninstallation is also run silently.

Index

Numerics

- 8.3 version
- of long file and directory names 50

A

- Artix
 - console mode installation 41
 - disk space requirements 33
 - silent installation 43
 - temporary disk space 34
- artix_env 50, 51, 52, 53, 54
- run to set up C++ settings 53

B

- BEA Tuxedo 30

C

- console mode
 - installing Artix 41

D

- dir /x command 50
- disk space requirements 33

G

- GCC gcj 51

H

- HTTP 30

I

- IATEMPDIR 34
- IBM WebSphere MQ 30
- IOP 30
- installer.properties file 43

J

- JAVA_HOME 43, 50, 51

K

- Kerberos 30

L

- LDAP 30

P

- properties file 43

R

- Rendezvous 30

S

- silent installation 43
- SiteMinder 30
- SOAP 30
- SonicMQ 30

T

- temporary disk space 34
- TIBCO Rendezvous 30
- Tuxedo 30

U

- uninstalling
 - Artix from UNIX 59
 - Artix on Windows 58

V

- vcvars32.bat 54

W

- WebSphere MQ 30

